

COVID-19 VACCINATION

Welcome! The vaccination process should take approximately 30 minutes, including check-in and a 15-minute observation after your shot.

- **EMPLOYEES:** If you have not already opted in via the vaccine survey, please do so now at www.JacksonBadgeBuddy.org. No appointment or other pre-registration is required.
 - **UM, COMMUNITY, AND CONTRACT PROVIDERS:** Register in person prior to getting your first vaccine. Only providers who practice at Jackson are eligible.
 - Non-clinical employees may be asked to wait longer or come back later in order to accommodate our clinician colleagues.
 - At check-in, you will be asked for your race or ethnicity. This allows Jackson and regulators to monitor side effects as they impact different groups.
 - You can report any side effects via JacksonBadgeBuddy.org or JacksonCOVID19.org.
 - By receiving the first dose of the vaccine, you are agreeing to receive the second dose in 21 days. You may receive it a day before or after the 21st day. Your second dose must be the same vaccine as the first.
 - Keep the vaccination card you receive today; you may need to show it in order to receive the second dose.
 - You must continue wearing a mask, physical distancing, and practicing excellent hand hygiene.
-

This site is providing the Pfizer BioNTech vaccine.

This is a new vaccine, and you should know the following:

- Only healthy people 16 or over should receive the vaccine. You should not receive the vaccine if you have a high fever or weakened immune system or have previously had severe allergic reactions to any of the ingredients in this vaccine.
- You should notify the person administering your vaccine in advance if you:
 - have any allergies
 - have a fever
 - have a bleeding disorder or take a blood thinner
 - are immunocompromised or take medicine that affects your immune system
 - are pregnant, breastfeeding, or plan to become pregnant
 - have received another COVID-19 vaccine
- The most common side effects are mild or moderate and go away within a few days. They include:
 - Pain, swelling, or redness at injection site
 - Tiredness
 - Headaches, muscle, or joint pain
 - Fever
 - Chills
 - Nausea
 - Enlarged lymph nodes
- In clinical trials, side effects were more pronounced after the second dose of the vaccine.
- If you have a severe allergic reaction to the vaccine such as difficulty breathing, swelling in your face and throat, fast heartbeat, dizziness and weakness, or a bad rash all over your body, please go to the nearest emergency department right away.
 - If you normally carry an EpiPen due to severe allergic reactions, please ensure you have it with you. Rare cases of severe reactions have been reported in Europe.
- There is only limited data on the vaccine's impact for women who are pregnant, trying to become pregnant, or breastfeeding. If this applies to you, consult with your doctor before receiving the vaccine.
- We will ask you to spend 15 minutes in an observation room after your vaccine in case of side effects.
- If you have any questions about possible interactions with your specific medical condition or current medications, please consult your physician before being vaccinated.

FACT SHEET FOR RECIPIENTS AND CAREGIVERS

EMERGENCY USE AUTHORIZATION (EUA) OF THE PFIZER-BIONTECH COVID-19 VACCINE TO PREVENT CORONAVIRUS DISEASE 2019 (COVID-19) IN INDIVIDUALS 16 YEARS OF AGE AND OLDER

You are being offered the Pfizer-BioNTech COVID-19 Vaccine to prevent Coronavirus Disease 2019 (COVID-19) caused by SARS-CoV-2. This Fact Sheet contains information to help you understand the risks and benefits of the Pfizer-BioNTech COVID-19 Vaccine, which you may receive because there is currently a pandemic of COVID-19.

The Pfizer-BioNTech COVID-19 Vaccine is a vaccine and may prevent you from getting COVID-19. There is no U.S. Food and Drug Administration (FDA) approved vaccine to prevent COVID-19.

Read this Fact Sheet for information about the Pfizer-BioNTech COVID-19 Vaccine. Talk to the vaccination provider if you have questions. It is your choice to receive the Pfizer-BioNTech COVID-19 Vaccine.

The Pfizer-BioNTech COVID-19 Vaccine is administered as a 2-dose series, 3 weeks apart, into the muscle.

The Pfizer-BioNTech COVID-19 Vaccine may not protect everyone.

This Fact Sheet may have been updated. For the most recent Fact Sheet, please see www.cvdvaccine.com.

WHAT YOU NEED TO KNOW BEFORE YOU GET THIS VACCINE?

WHAT IS COVID-19?

COVID-19 disease is caused by a coronavirus called SARS-CoV-2. This type of coronavirus has not been seen before. You can get COVID-19 through contact with another person who has the virus. It is predominantly a respiratory illness that can affect other organs. People with COVID-19 have had a wide range of symptoms reported, ranging from mild symptoms to severe illness. Symptoms may appear 2 to 14 days after exposure to the virus. Symptoms may include: fever or chills; cough; shortness of breath; fatigue; muscle or body aches; headache; new loss of taste or smell; sore throat; congestion or runny nose; nausea or vomiting; diarrhea.

WHAT IS THE PFIZER-BIONTECH COVID-19 VACCINE?

The Pfizer-BioNTech COVID-19 Vaccine is an unapproved vaccine that may prevent COVID-19. There is no FDA-approved vaccine to prevent COVID-19.

The FDA has authorized the emergency use of the Pfizer-BioNTech COVID-19 Vaccine to prevent COVID-19 in individuals 16 years of age and older under an Emergency Use Authorization (EUA).

For more information on EUA, see the “**What is an Emergency Use Authorization (EUA)?**” section at the end of this Fact Sheet.

WHAT SHOULD YOU MENTION TO YOUR VACCINATION PROVIDER BEFORE YOU GET THE PFIZER-BIONTECH COVID-19 VACCINE?

Tell the vaccination provider about all of your medical conditions, including if you:

- have any allergies
- have a fever
- have a bleeding disorder or are on a blood thinner
- are immunocompromised or are on a medicine that affects your immune system
- are pregnant or plan to become pregnant
- are breastfeeding
- have received another COVID-19 vaccine

WHO SHOULD GET THE PFIZER-BIONTECH COVID-19 VACCINE?

FDA has authorized the emergency use of the Pfizer-BioNTech COVID-19 Vaccine in individuals 16 years of age and older.

WHO SHOULD NOT GET THE PFIZER-BIONTECH COVID-19 VACCINE?

You should not get the Pfizer-BioNTech COVID-19 Vaccine if you:

- had a severe allergic reaction after a previous dose of this vaccine
- had a severe allergic reaction to any ingredient of this vaccine

WHAT ARE THE INGREDIENTS IN THE PFIZER-BIONTECH COVID-19 VACCINE?

The Pfizer BioNTech COVID-19 Vaccine includes the following ingredients: mRNA, lipids ((4-hydroxybutyl)azanediyl)bis(hexane-6,1-diyl)bis(2-hexyldecanoate), 2 [(polyethylene glycol)-2000]-N,N-ditetradecylacetamide, 1,2-Distearoyl-sn-glycero-3-phosphocholine, and cholesterol), potassium chloride, monobasic potassium phosphate, sodium chloride, dibasic sodium phosphate dihydrate, and sucrose.

HOW IS THE PFIZER-BIONTECH COVID-19 VACCINE GIVEN?

The Pfizer-BioNTech COVID-19 Vaccine will be given to you as an injection into the muscle.

The Pfizer-BioNTech COVID-19 Vaccine vaccination series is 2 doses given 3 weeks apart.

If you receive one dose of the Pfizer-BioNTech COVID-19 Vaccine, you should receive a second dose of this same vaccine 3 weeks later to complete the vaccination series.

HAS THE PFIZER-BIONTECH COVID-19 VACCINE BEEN USED BEFORE?

The Pfizer-BioNTech COVID-19 Vaccine is an unapproved vaccine. In clinical trials, approximately 20,000 individuals 16 years of age and older have received at least 1 dose of the Pfizer-BioNTech COVID-19 Vaccine.

WHAT ARE THE BENEFITS OF THE PFIZER-BIONTECH COVID-19 VACCINE?

In an ongoing clinical trial, the Pfizer-BioNTech COVID-19 Vaccine has been shown to prevent COVID-19 following 2 doses given 3 weeks apart. The duration of protection against COVID-19 is currently unknown.

WHAT ARE THE RISKS OF THE PFIZER-BIONTECH COVID-19 VACCINE?

Side effects that have been reported with the Pfizer-BioNTech COVID-19 Vaccine include:

- injection site pain
- tiredness
- headache
- muscle pain
- chills
- joint pain
- fever
- injection site swelling
- injection site redness
- nausea
- feeling unwell
- swollen lymph nodes (lymphadenopathy)

There is a remote chance that the Pfizer-BioNTech COVID-19 Vaccine could cause a severe allergic reaction. A severe allergic reaction would usually occur within a few minutes to one hour after getting a dose of the Pfizer-BioNTech COVID-19 Vaccine. Signs of a severe allergic reaction can include:

- Difficulty breathing
- Swelling of your face and throat
- A fast heartbeat
- A bad rash all over your body
- Dizziness and weakness

These may not be all the possible side effects of the Pfizer-BioNTech COVID-19 Vaccine. Serious and unexpected side effects may occur. Pfizer-BioNTech COVID-19 Vaccine is still being studied in clinical trials.

WHAT SHOULD I DO ABOUT SIDE EFFECTS?

If you experience a severe allergic reaction, call 9-1-1, or go to the nearest hospital.

Call the vaccination provider or your healthcare provider if you have any side effects that bother you or do not go away.

Report vaccine side effects to **FDA/CDC Vaccine Adverse Event Reporting System (VAERS)**. The VAERS toll-free number is 1-800-822-7967 or report online to <https://vaers.hhs.gov/reportevent.html>. Please include “Pfizer-BioNTech COVID-19 Vaccine EUA” in the first line of box #18 of the report form.

In addition, you can report side effects to Pfizer Inc. at the contact information provided below.

Website	Fax number	Telephone number
www.pfizersafetyreporting.com	1-866-635-8337	1-800-438-1985

WHAT IF I DECIDE NOT TO GET THE PFIZER-BIONTECH COVID-19 VACCINE?

It is your choice to receive or not receive the Pfizer-BioNTech COVID-19 Vaccine. Should you decide not to receive it, it will not change your standard medical care.

ARE OTHER CHOICES AVAILABLE FOR PREVENTING COVID-19 BESIDES PFIZER-BIONTECH COVID-19 VACCINE?

Currently, there is no approved alternative vaccine available for prevention of COVID-19. FDA may allow the emergency use of other vaccines to prevent COVID-19.

CAN I RECEIVE THE PFIZER-BIONTECH COVID-19 VACCINE WITH OTHER VACCINES?

There is no information on the use of the Pfizer-BioNTech COVID-19 Vaccine with other vaccines.

WHAT IF I AM PREGNANT OR BREASTFEEDING?

If you are pregnant or breastfeeding, discuss your options with your healthcare provider.

WILL THE PFIZER-BIONTECH COVID-19 VACCINE GIVE ME COVID-19?

No. The Pfizer-BioNTech COVID-19 Vaccine does not contain SARS-CoV-2 and cannot give you COVID-19.


KEEP YOUR VACCINATION CARD

When you get your first dose, you will get a vaccination card to show you when to return for your second dose of Pfizer-BioNTech COVID-19 Vaccine. Remember to bring your card when you return.

ADDITIONAL INFORMATION

If you have questions, visit the website or call the telephone number provided below.

To access the most recent Fact Sheets, please scan the QR code provided below.

Global website	Telephone number
<p data-bbox="315 415 618 445">www.cvdvaccine.com</p> 	<p data-bbox="954 464 1214 533">1-877-829-2619 (1-877-VAX-CO19)</p>

HOW CAN I LEARN MORE?

- Ask the vaccination provider.
- Visit CDC at <https://www.cdc.gov/coronavirus/2019-ncov/index.html>.
- Visit FDA at <https://www.fda.gov/emergency-preparedness-and-response/mcm-legal-regulatory-and-policy-framework/emergency-use-authorization>.
- Contact your local or state public health department.

WHERE WILL MY VACCINATION INFORMATION BE RECORDED?

The vaccination provider may include your vaccination information in your state/local jurisdiction's Immunization Information System (IIS) or other designated system. This will ensure that you receive the same vaccine when you return for the second dose. For more information about IISs visit: <https://www.cdc.gov/vaccines/programs/iis/about.html>.

WHAT IS THE COUNTERMEASURES INJURY COMPENSATION PROGRAM?

The Countermeasures Injury Compensation Program (CICP) is a federal program that may help pay for costs of medical care and other specific expenses of certain people who have been seriously injured by certain medicines or vaccines, including this vaccine. Generally, a claim must be submitted to the CICP within one (1) year from the date of receiving the vaccine. To learn more about this program, visit www.hrsa.gov/cicp/ or call 1-855-266-2427.

WHAT IS AN EMERGENCY USE AUTHORIZATION (EUA)?

The United States FDA has made the Pfizer-BioNTech COVID-19 Vaccine available under an emergency access mechanism called an EUA. The EUA is supported by a Secretary of Health and Human Services (HHS) declaration that circumstances exist to justify the emergency use of drugs and biological products during the COVID-19 pandemic.

The Pfizer-BioNTech COVID-19 Vaccine has not undergone the same type of review as an FDA-approved or cleared product. FDA may issue an EUA when certain criteria are met, which includes that there are no adequate, approved, available alternatives. In addition, the FDA decision is based on the totality of scientific evidence available showing that the product may be effective to prevent COVID-19 during the COVID-19

pandemic and that the known and potential benefits of the product outweigh the known and potential risks of the product. All of these criteria must be met to allow for the product to be used in the treatment of patients during the COVID-19 pandemic.

The EUA for the Pfizer-BioNTech COVID-19 Vaccine is in effect for the duration of the COVID-19 EUA declaration justifying emergency use of these products, unless terminated or revoked (after which the products may no longer be used).



Manufactured by
Pfizer Inc., New York, NY 10017

BIONTECH

Manufactured for
BioNTech Manufacturing GmbH
An der Goldgrube 12
55131 Mainz, Germany

LAB-1451-0.7

Revised: December 2020



Scan to capture that this Fact Sheet was provided to vaccine recipient for the electronic medical records/immunization information systems.

Barcode Date: 12/2020

Vaccine Adverse Event Reporting System (VAERS)

The Vaccine Adverse Event Reporting System (VAERS), is a national program managed by the U.S. Centers for Disease Control and Prevention (CDC) and the U.S. Food and Drug Administration (FDA) to monitor the safety of all vaccines licensed in the United States. VAERS collects and reviews reports of adverse events that occur after vaccination. An “adverse event” is any health problem or “side effect” that happens after a vaccination. VAERS cannot determine if a vaccine caused an adverse event, but can determine if further investigation is needed.

VAERS provides valuable information

VAERS is an early-warning system that detects problems possibly related to vaccines. The system relies on reports from healthcare providers*, vaccine manufacturers, and the general public. Reporting gives CDC and FDA important information to identify health concerns and ensure vaccines are safe in order to protect the public’s health.

VAERS staff evaluate reports of adverse events

VAERS defines a “serious adverse event” as life-threatening illness, hospitalization, prolongation of an existing hospitalization, permanent disability or death. Once adverse events are identified using VAERS, they may be monitored in other immunization safety systems to confirm if a particular adverse event is related to a vaccination and identify any specific risk factors.

Anyone can report to VAERS

Anyone can submit a report to VAERS, including patients, family members, healthcare providers, vaccine manufacturers and the general public. CDC and FDA encourage anyone who experiences an adverse event after receiving a vaccine to report to VAERS.


How to report to VAERS

You can report to VAERS online at <https://vaers.hhs.gov/index>.

For further assistance reporting to VAERS, visit <https://vaers.hhs.gov/index> or contact VAERS directly at info@VAERS.org or 1-800-822-7967.

VAERS data are available to the public

VAERS data can be downloaded at <https://vaers.hhs.gov/data/index> or searched at <http://wonder.cdc.gov/vaers.html>. Privacy is protected and personal identifying information (such as name, date of birth and address) is removed from the public data.



For more information about VAERS:

E-mail: info@vaers.org

Phone: 1-800-822-7967

Web site: www.vaers.hhs.gov



*Healthcare providers are encouraged to report all clinically significant adverse events after vaccination to VAERS even if it is uncertain whether the vaccine caused the event. They are also required to report to VAERS adverse events found in the Reportable Events Table (RET) at https://vaers.hhs.gov/resources/VAERS_Table_of_Reportable_Events_Following_Vaccination.pdf

ALGORITHM FOR THE TRIAGE OF PERSONS PRESENTING FOR THE PFIZER-BIONTECH COVID-19 VACCINE

	PROCEED WITH VACCINATION	PRECAUTION TO VACCINATION	CONTRAINDICATION TO VACCINATION	POTENTIAL DEFERRAL OF VACCINATION
CONDITIONS	<p>CONDITIONS</p> <ul style="list-style-type: none"> Immunocompromising conditions Pregnancy Lactation <p>ACTIONS</p> <ul style="list-style-type: none"> Additional counseling 15-minute observation period 	<p>CONDITIONS</p> <ul style="list-style-type: none"> Moderate/severe acute illness <p>ACTIONS</p> <ul style="list-style-type: none"> Risk assessment Potential deferral of vaccination 15-minute observation period if vaccinated 	<p>CONDITIONS</p> <ul style="list-style-type: none"> NONE <p>ACTIONS</p> <ul style="list-style-type: none"> N/A 	<ul style="list-style-type: none"> ACUTE ILLNESS <ul style="list-style-type: none"> Defer until resolved PREVIOUS RECEIPT OF MONOCLONAL ANTIBODIES OR CONVALESCENT PLASMA <ul style="list-style-type: none"> Defer until 90 days elapsed from treatment
ALLERGIES	<p>ALLERGIES</p> <ul style="list-style-type: none"> History of food, pet, insect, venom, environmental, latex, etc., allergies History of allergy to oral medications (including the oral equivalent of an injectable medication) Family history of anaphylaxis <p>ACTIONS</p> <ul style="list-style-type: none"> 15-minute observation period 	<p>ALLERGIES</p> <ul style="list-style-type: none"> History of severe allergic reaction (e.g., anaphylaxis) to another vaccine (not including Pfizer-BioNTech vaccine) History of severe allergic reaction (e.g., anaphylaxis) to an injectable medication <p>ACTIONS</p> <ul style="list-style-type: none"> Risk assessment Potential deferral of vaccination 30-minute observation period if vaccinated 	<p>ALLERGIES</p> <ul style="list-style-type: none"> History of severe allergic reaction (e.g., anaphylaxis) to any component of the Pfizer-BioNTech vaccine <p>ACTIONS</p> <ul style="list-style-type: none"> DO NOT VACCINATE 	